
HMON for leslie13l.2018101318_testpost FCT 00hr domain=d3
hgtprs(gpm) Min=60.551 Max=512.303
X-Z cross@center(345.338,35.463)
Press
100
200
300
400
500
600
700
800
900
1000
19W
18W
17W
16W
15W
14W
13W
12W
11W
LON
5250 5300 5350 5400 5450 5500 5550 5600 5650 5700 5750 5800 5850 5900 5950


HMON for leslie13l.2018101318_testpost FCT 06hr domain=d3
hgtprs(gpm) Min=-3.341 Max=238.182
X-Z cross@center(347.519,37.761)
Press
100
200
300
400
500
600
700
800
900
1000
16W
15W
14W
13W
12W
11W
10W
9W
8W
LON
5250 5300 5350 5400 5450 5500 5550 5600 5650 5700 5750 5800 5850 5900 5950

HMON for leslie13l.2018101318_testpost FCT 12hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(350.019,40.37)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 18hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(350.998,42.225)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 24hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(351.343,43.061)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 30hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(350.959,44.745)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 36hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(350.896,46.066)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 42hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(351.271,47.203)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 48hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(352.055,49.112)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 54hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(353.362,52.206)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 60hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(353.426,53.105)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 66hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(352.64,55.044)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 72hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(353.865,57.178)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 78hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(347.925,58.297)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 84hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(346.279,59.167)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 90hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(348.496,61.124)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 96hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(349.423,63.649)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 102hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(352.009,65.739)

Entire Grid Undefined

Pressure

LON

HMON for leslie13l.2018101318_testpost FCT 108hr domain=d3
hgtprs(gpm) Min=9.999e+20 Max=9.999e+20

X-Z cross@center(-3.573,67.022)

Entire Grid Undefined

Pressure

LON


HMON for leslie13l.2018101318_testpost FCT 114hr domain=d3
hgtprs(gpm) Min=-48.569 Max=30436.3
X-Z cross@center(-0.032999999999999999,68.445)
Pressure
100
200
300
400
500
600
700
800
900
1000
4W
3W
2W
1W
0
1E
2E
3E
4E
LON
5250 5300 5350 5400 5450 5500 5550 5600 5650 5700 5750 5800 5850 5900 5950


HMON for leslie13l.2018101318_testpost FCT 120hr domain=d3
hgtprs(gpm) Min=-56.055 Max=30472.9
X-Z cross@center(4.281,69.897)
Press
100
200
300
400
500
600
700
800
900
1000
0
1E
2E
3E
4E
5E
6E
7E
8E
LON
5250 5300 5350 5400 5450 5500 5550 5600 5650 5700 5750 5800 5850 5900 5950


HMON for leslie13l.2018101318_testpost FCT 126hr domain=d3
hgtprs(gpm) Min=-22.959 Max=30483
X-Z cross@center(8.187,70.091)
Press
100
200
300
400
500
600
700
800
900
1000
4E
5E
6E
7E
8E
9E
10E
11E
12E
LON
5250 5300 5350 5400 5450 5500 5550 5600 5650 5700 5750 5800 5850 5900 5950